

CHENG COPY MEASUREMENT (CCM) HOW TO COPY MEASURE YOUR FAVORITE JEANS



© All rights reserved - Cheng Measuring Method

**NO TEXT OR IMAGES FROM THIS INSTRUCTION MAY BE ALTERED WITHOUT EXPRESSED WRITTEN PERMISSION.
WWW.CUSTOMFITTAILOREDMADEJEANS.COM**

This measurement method is only applicable if **the jeans to be copied are of normal length and reach to your ankles**. Otherwise we cannot determine the position of your knee line.

You will need the right equipment to do your marking and measuring. You will need a pen, a soft tape measure and some temporary markers like adhesive tape.





1. Place your favorite jeans flat on the floor or table.

2. Measure front rise. It's the distance from your crotch seams to the top of your waist band (i.e. 10 inches)

Record your measurements:

Front Rise (FR) _____ inches





3. 4" up from bottom of the front rise, place a piece of tape and mark your hip line

4. Measure the hip line (i.e. 19 inches)

Record your measurements:

Hip Line (HL) _____ inches





5. Measure the waist line (i.e. 16 inches)

Record your measurements:

Waist Line (WL) _____ inches

6. Measure the thigh line, which is located 2” below the crotch line. (i.e. 10 inches)

Record your measurements:

Thigh Line (TL) _____ inches





7. Measure the inseams (i.e. 29 inches)

Record your measurements:

Inseams (I) _____ inches

8. Divide the inseams length by two then subtract 2” (inseam/2-2”). This is the position of your knee line. (i.e. $29''/2=14.5''-2''=12.5$ inches)





9. Measure the knee line (i.e. 8 inches)

Record your measurements:

Knee Line (KL) _____ inches

10. Measure the leg openings (i.e. 10.5 inches)

Record your measurements:

Leg Opening (LO) _____ inches

